

Rocce



Rocce Fumo

Rocce Grigio

Rocce Bianco

Rocce Avorio

Rocce Greige

Technological and stylistic innovation.

The Rocce collection stands as the protagonist of a groundbreaking architectural space where structural quality and aesthetics converge. The constant search for perfection is reflected in these porcelain tiles designed to enhance the stone effects. With a variety of sizes and styles, Rocce is ideal for contemporary living.

Additionally, the collection is enriched with mosaics specifically designed to highlight the material and aesthetic characteristics of every surface. The quality of Rocce knows no boundaries; it offers excellent resistance to wear and tear while guaranteeing lasting beauty in any living environment.



47¹/₄"x47¹/₄"



23¹/₂"x47¹/₄"



31¹/₂"x31¹/₂"



23¹/₂"x23¹/₂"



11⁷/₈"x23¹/₂"

Material fusion for shaping contemporaneity

ROCCE BIANCO

WALL: ROCCE BIANCO 62^{7/8}" x 125^{3/4}" x 1^{1/4}"



ROCCE BIANCO



WALL: ROCCE BIANCO 62⁷/₈" x 125³/₄" x 1¹/₄"

ROCCE GREIGE



FLOOR: ROCCE GRIGIO 47^{1/4}"x47^{1/4}"

ROCCE BIANCO



WALL: ROCCE BIANCO 47¹/₄" x 102¹/₃" x 1¹/₄" - LISTELLO MIX 8" x 47¹/₄"
FLOOR: ROCCE BIANCO 47¹/₄" x 47¹/₄"



ROCCE FUMO



WALL: ROCCE FUMO LISTELLO MIX 8"x47¹/₄"
FLOOR: ROCCE FUMO 47¹/₄"x47¹/₄"

ROCCE AVORIO / GREIGE



WALL: ROCCE AVORIO 47¹/₄"x102¹/₃"x1¹/₄" - LISTELLO MIX BRONZO 8"x47¹/₄"
FLOOR: ROCCE GREIGE 47¹/₄"x47¹/₄" - GREIGE GEO DECO 23¹/₂"x23¹/₂"



ROCCE AVORIO/ GRIGIO



WALL: ROCCE AVORIO 23¹/₂"x47¹/₄" 3/₄" - ROCCE AVORIO HEXAGON MIX MOSAIC 12" x13" - ROCCE GREIGE LISTELLO MIX BRONZO 8"x47¹/₄" - GREIGE BOCCIARDATO LISTELLO BRONZO 3/₄"x47¹/₄"
SHOWER TRAY: ROCCE GRIGIO DROP
FLOOR: ROCCE GREIGE 31¹/₂"x31¹/₂"



WALL: ROCCE GRIGIO LISTELLO MIX 4"x11⁷/₈"
TOP: ROCCE FUMO 62⁷/₈"x125³/₄"x1¹/₄"



WALL: ROCCE GRIGIO 47¹/₄"x102¹/₃"x1¹/₄" - ROCCE FUMO CHEVRON MIX MOSAIC 12"x13"

Rocce

TECHNICAL INFORMATION

PORCELAIN STONEWARE - RECTIFIED

CONFORMING TO STANDARDS

EN 14411 ISO 13006 APPENDICE G GRUPPO BIa UGL con $E_v \leq 0,5\%$



BENDING
STRENGTH



FROST
RESISTANCE



CHEMICALS
RESISTANCE



STAIN
RESISTANCE



RECTIFIED



ANSI A326.3 > 0,42

MATTE



R11 / A+B+C

ANTISLIP
OUTDOOR PAVER




ANSI A326.3 > 0,42

ANTISLIP
OUTDOOR PAVER

— 1/4"

BIANCO


Matte
62"x125"x1/4" - 47^{5/8"} x 102^{1/3"}x1/4"



— 3/8"

Matte
47^{1/4"}x47^{1/4"} - 23^{1/2"}x47^{1/4"} -
31^{1/2"}x31^{1/2"} - 23^{1/2"}x23^{1/2"} -
11^{7/8"}x23^{1/2"}

Outdoor
- 23^{1/2"}x47^{1/4"}
31^{1/2"}x31^{1/2"}
23^{1/2"}x23^{1/2"}
11^{7/8"}x23^{1/2"}



— 1/4" MEGA



SURFACE 62"x125"x1/4" 47"x102"x1/4"

Matte SI01XXA ■ SI01XMA ■

Antislip SI01BAA ■ SI0168A ■ SI0163A ■

Area Plus SI01BAPL ■

— 3/8"



47"x47" 23"x47" 31"x31^{2"} 23"x23^{2"} 11"x23^{2"}

SI0112 ■ SI01BA ■ SI0188 ■ SI0168 ■ SI0163 ■

SI01BAA ■ SI0168A ■ SI0163A ■

SI01BAPL ■

— 3/8"

LISTELLO MIX

Mix Surfaces
8"x47^{1/4"} - 4"x11^{7/8"}



Rocce Bianco
Listello Mix

Mix Surfaces 20x120



Rocce Bianco
Listello Mix Argento *

— 3/8"



Listello Mix
8"x47^{1/4"}



Listello Mix
4"x11^{7/8"}



Listello Mix Argento *
8"x47^{1/4"}

SURFACE

Mix surfaces

SI03EAM ■

SI03L3M ■

SI03EAMA ■

V2
MODERATE

HEAVY TRAFFIC
Matte
Antislip

MIX SURFACES
Listello Mix
8"x47^{1/4"}/4"x11^{7/8"}

Every box contains 1 piece in every available finish, to make it easier and ready to start tiling.


*
LISTELLO MIX
ARGENTO

Recommended for wall installation only.

— 1/4"

GRIGIO

Matte
62 7/8" x 125 3/4" x 1/4" - 47 1/4" x 102 1/3" x 1/4"



— 3/8" + ■ 3/4" Outdoor Paver

Matte
47 1/4" x 47 1/4" - 23 1/2" x 47 1/4" -
31 1/2" x 31 1/2" - 23 1/2" x 23 1/2" -
11 7/8" x 23 1/2"

Outdoor
47 1/4" x 47 1/4" -
- 23 1/2" x 47 1/4" -
- 31 1/2" x 31 1/2" -
- 23 1/2" x 23 1/2" -
- 11 7/8" x 23 1/2"

Outdoor Paver
23 1/2" x 47 1/4" -
31 1/2" x 31 1/2" -
23 1/2" x 23 1/2"



— 3/8"

LISTELLO MIX

Mix Surfaces
8" x 47 1/4" - 4" x 11 7/8"



Rocce Grigio
Listello Mix

Mix Surfaces 8" x 47 1/4"



Rocce Greige
Listello Mix Argento *

— 3/8"

Listello Mix
8" x 47 1/4"

Listello Mix
4" x 11 7/8"

Listello Mix Argento *
8" x 47 1/4"

SURFACE

Mix surfaces

SI03EAM

SI03L3M

SI03EAMA

— 1/4" MEGA

— 3/8"

■ 3/4" Outdoor Paver



SURFACE

62 7/8" x 125 3/4" x 1/4"

47 1/4" x 102 1/3" x 1/4"

47 1/4" x 47 1/4"

23 1/2" x 47 1/4"

31 1/2" x 31 1/2"

23 1/2" x 23 1/2"

11 7/8" x 23 1/2"

23 1/2" x 47 1/4"

31 1/2" x 31 1/2"

23 1/2" x 23 1/2"

Matte

SI03XXA

SI03XMA

SI0312

SI03BA

SI0388

SI0368

SI0363

Outdoor

SI03BAA

SI0368A

SI0363A

SI03BA2

SI03882

SI03682

V2
MODERATE



HEAVY TRAFFIC

Matte
Antislip



MIX SURFACES

Listello Mix
8" x 47 1/4" / 4" x 11 7/8"

Every box contains 1 piece in every available finish, to make it easier and ready to start tiling.



* LISTELLO MIX ARGENTO

Recommended for wall installation only.

— 1/4"

FUMO

Matte
62 7/8" x 125 3/4" x 1/4" - 47 1/4" x 102 1/3" x 1/4"



— 3/8" + ■ 3/4" Outdoor Paver

Matte	Outdoor	Outdoor Paver
47 1/4" x 47 1/4" - 23 1/2" x 47 1/4" - 31 1/2" x 31 1/2" - 23 1/2" x 23 1/2" - 11 7/8" x 23 1/2"	47 1/4" x 47 1/4" - - 23 1/2" x 47 1/4" - - 31 1/2" x 31 1/2" - - 23 1/2" x 23 1/2" - 11 7/8" x 23 1/2"	23 1/2" x 47 1/4" - 31 1/2" x 31 1/2" - 23 1/2" x 23 1/2"



— 3/8"

LISTELLO MIX

Mix Surfaces
8" x 47 1/4" - 4" x 11 7/8"



Rocce Fumo
Listello Mix

Mix Surfaces 8" x 47 1/4"



Rocce Fumo
Listello Mix Argento *

— 3/8"

Diagram	Diagram	Diagram
Listello Mix 8" x 47 1/4"	Listello Mix 4" x 11 7/8"	Listello Mix Argento * 8" x 47 1/4"

SURFACE

Mix surfaces

SI05EAM ■

SI05L3M ■

SI05EAMA ■

— 1/4" MEGA

— 3/8"

■ 3/4" Outdoor Paver

SURFACE	62 7/8" x 125 3/4" x 1/4"	47 1/4" x 102 1/3" x 1/4"	47 1/4" x 47 1/4"	23 1/2" x 47 1/4"	31 1/2" x 31 1/2"	23 1/2" x 23 1/2"	11 7/8" x 23 1/2"	23 1/2" x 47 1/4"	31 1/2" x 31 1/2"	23 1/2" x 23 1/2"
Matte	SI05XXA ■	SI05XMA ■	SI0512 ■	SI05BA ■	SI0588 ■	SI0568 ■	SI0563 ■	SI05BA2 ■	SI05882 ■	SI05682 ■
Outdoor			SI05BAA ■	SI0568A ■	SI0563A ■					

V2
MODERATE

HEAVY TRAFFIC
Matte
Antislip

MIX SURFACES
Listello Mix
8" x 47 1/4" / 4" x 11 7/8"

Every box contains 1 piece in every available finish, to make it easier and ready to start tiling.

* LISTELLO MIX ARGENTO

Recommended for wall installation only.

3/8" + 3/4" Outdoor Paver

GREIGE

/ Matte

47 1/4" x 47 1/4" - 23 1/2" x 47 1/4" - 31 1/2" x 31 1/2" -
23 1/2" x 23 1/2" - 11 7/8" x 23 1/2"

Outdoor

23 1/2" x 47 1/4" - 23 1/2" x 23 1/2" - 11 7/8" x 23 1/2"

Outdoor Paver

23 1/2" x 47 1/4" - 31 1/2" x 31 1/2" - 23 1/2" x 23 1/2"



3/8"

LISTELLO MIX

Mix Surfaces
8" x 47 1/4" - 4" x 11 7/8"



Rocce Greige
Listello Mix

Mix Surfaces 8" x 47 1/4"



Rocce Greige
Listello Mix Bronzo *

3/8"

Listello Mix
8" x 47 1/4"

Listello Mix
4" x 11 7/8"

Listello Mix Bronzo *
8" x 47 1/4"

SURFACE

Mix surfaces

SI04EAM

SI04L3M

SI04EAMB

3/8"

3/4" Outdoor Paver

47 1/4" x 47 1/4"

23 1/2" x 47 1/4"

31 1/2" x 31 1/2"

23 1/2" x 23 1/2"

11 7/8" x 23 1/2"

23 1/2" x 47 1/4"

31 1/2" x 31 1/2"

23 1/2" x 23 1/2"

SURFACE

Matte

SI0412

SI04BA

SI0488

SI0468

SI0463

Outdoor

SI04BAA

SI0468A

SI0463A

SI04BA2

SI04882

SI04682

V2
MODERATE

HEAVY TRAFFIC
Matte Antislip

MIX SURFACES
Listello Mix
8" x 47 1/4" / 4" x 11 7/8"

Every box contains 1 piece in every available finish, to make it easier and ready to start tiling.

* **LISTELLO MIX BRONZO**

Recommended for wall installation only.

3/8"

AVORIO

Naturale / Matte

47^{1/4}"x47^{1/4}" - 23^{1/2}"x47^{1/4}" - 31^{1/2}"x31^{1/2}" - 23^{1/2}"x23^{1/2}" - 11^{7/8}"x23^{1/2}"

Outdoor

23^{1/2}"x47^{1/4}" - 23^{1/2}"x23^{1/2}" - 11^{7/8}"x23^{1/2}"



3/8"

LISTELLO MIX

Mix Surfaces

8"x47^{1/4}" - 4"x11^{7/8}"



Rocce Avorio
Listello Mix

Mix Surfaces 8"x47^{1/4}"



Rocce Avorio
Listello Mix Bronzo *

3/8"

SURFACE

47^{1/4}"x47^{1/4}" 23^{1/2}"x47^{1/4}" 31^{1/2}"x31^{1/2}" 23^{1/2}"x23^{1/2}" 11^{7/8}"x23^{1/2}"

Matte SI0212 SI02BA SI0288 SI0268 SI0263

Outdoor SI02BAA SI0268A SI0263A

3/8"



Listello Mix
8"x47^{1/4}"



Listello Mix
4"x11^{7/8}"



Listello Mix Bronzo *
8"x47^{1/4}"

SURFACE

Mix surfaces

SI02EAM

SI02L3M

SI02EAMB



V2
MODERATE



HEAVY TRAFFIC



MIX SURFACES

Every box contains 1 piece in every available finish, to make it easier and ready to start tiling.



* LISTELLO MIX
BRONZO

Recommended for wall installation only.

Matte
Antislip

Listello Mix
8"x47^{1/4}"/4"x11^{7/8}"

3/8"

2x4 Mosaic GREIGE

Matte - UGL 11 7/8" x 11 7/8"

Matte - UGL

47 1/4" x 47 1/4" - 23 1/2" x 47 1/4" - 31 1/2" x 31 1/2" - 23 1/2" x 23 1/2" - 11 7/8" x 23 1/2"



Bianco Avorio Grigio Greige Fumo

2x2 Mosaic

Matte - UGL 11 7/8" x 11 7/8"



Bianco Avorio Grigio Greige Fumo

CHEVRON MIX MOSAIC

Mix surfaces
12" x 13"



Bianco Avorio Grigio Greige Fumo

HEXAGON MIX MOSAIC

Mix surfaces
11 7/8" x 12 1/4"



Bianco Avorio Grigio Greige Fumo

3/8"



11" x 11 7/8" 11" x 11 7/8"

Pcs Box 12 Pcs Box 12

SURFACE

- Matte BIANCO
- AVORIO
- GREIGE
- GRIGIO
- FUMO

3/8"




12" x 13" 11" x 12"

Pcs Box 6 Pcs Box 6

SURFACE


- Mix surfaces BIANCO
- AVORIO
- GREIGE
- GRIGIO
- FUMO



MESH MOUNTED Tesserata 2" x 4" Tesserata 2" x 2" Tesserata 1 1/2" x 3 3/4" Tesserata 2 3/8" x 2 5/8"


ROCCE GREIGE GEO DECO

Matte - UGL
47 1/4" x 47 1/4" - 23 1/2" x 47 1/4" - 31 1/2" x 31 1/2" - 23 1/2" x 23 1/2" - 11 7/8" x 23 1/2"




Matte - UGL 23 1/2" x 23 1/2" | Outfloo 20 - UGL 31 1/2" x 31 1/2"


ROCCE GRIGIO GEO DECO



Matte - UGL 8" x 8"



Decor C



Decor F

LISTELLO

Flamed 3/4" x 47 1/4"

Bianco Flamed
Listello Argento



Grigio Flamed
Listello Argento



Fumo Flamed
Listello Argento



Avorio Flamed
Listello Bronzo



Greige Flamed
Listello Bronzo



BACCHETTA

1/8" x 47 1/4"

Bacchetta **Bronzo**

Bacchetta **Argento**

3/8"

Bacchetta
1/8" x 47 1/4"

Pcs Box 10

Bacchetta Argento MVV00B1 ■
Bacchetta Ottone ■

3/8"

3/4" Outdoor Paver

SURFICIE SURFACE		23 1/2" x 23 1/2"	8" x 8"	31 1/2" x 31 1/2"
Greige	Matte	SID068C ■	SID020C ■	
Grigio	Matte	SID068F ■	SID020F ■	
Geo Deco	Antislip			SID0882F ■

3/8"


Listello Argento 3/4" x 47 1/4"
Listello Bronzo 3/4" x 47 1/4"

SURFACE		Pcs Box 6	Pcs Box 6
Flamed	BIANCO	SIO1LB1 ■	
	AVORIO		SIO2LB2 ■
	GREIGE	SIO3LB1 ■	
	GRIGIO		SIO4LB2 ■
	FUMO	SIO5LB1 ■	

ROCCE

Material from several boxes should be spread on the floor before installation to check the combined effect in order to get a harmonious mix of different graphics and veinings. A 2 mm joint is recommended for indoor applications and 5 mm for outdoor, in compliance with the European regulations. Coloured joints that match the products used are recommended for the most attractive effect.

When rectangular products are laid in "running bond" patterns, the longest side should be staggered in relation to the length of the piece next to it by no more than 30 cm.



SYMBOLS



HEAVY
TRAFFIC











HEAVY TRAFFIC: Porcelain stoneware ideal for all intended uses, including public and commercial areas subject to wear from intensive foot traffic such as airports, shopping malls, places of worship, schools, museums, hospitals, etc.



MESH MOUNTED

MESH-BACKED MOSAIC: mosaic made from loose tiles, pre-assembled on a mesh to make laying easier. Can also be used for curved walls.

TECHNICAL SPECIFICATIONS PORCELAIN STONEWARE CONFORMING TO STANDARDS




PHYSICAL PROPERTIES	TESTING METHOD	REFERENCE STANDARD	PRODUCT VALUES	
			7 cm ≤ N < 15 cm (mm)	N ≥ 15 cm (%) (mm)
 Sizes	EN ISO 10545-2	Length and width	±0.9	±0.6 ±2.0
		Thickness	±0.5	±5.0 ±0.5
		Linearity -	±0.75	±0.5 ±1.5
		Wedging	±0.75	±0.5 ±2.0
		Warpage	±0.75	±0.5 ±2.0
		Appearance: percentage of acceptable tiles, per lot	95 % min.	95 % min.
 Water absorption %	EN ISO 10545-3	Ev ≤ 0,5%		Conforming
 Modulus of rupture Breakage resistance	EN ISO 10545-4	Valore medio 35 N/mm2 min. sp. > = 7,5 mm: min 1300 N sp. < 7,5 mm: min 700 N		Conforming
 Scratch resistance	EN ISO 10545-6	175 mm3 max.		Average < 150 mm3
 Thermal expansion coefficient	EN ISO 10545-8	Declared value		6,8 MK-1
 Thermal shock resistance	EN ISO 10545-9	Pass according to ISO 10545-1		* Resistant
 Frost resistance	EN ISO 10545-12	Pass according to ISO 10545-1		* Resistant
Resistance to low concentrations of acids and alkali		Declared value		* Resistant
 Resistance to high concentrations of acids and alkali	EN ISO 10545-13	Declared value		* Resistant
Resistance to domestic chemicals and additives for swimming pools		UB min.		UA
 Stain resistance of unglazed matte porcelain	EN ISO 10545-14	Declared value		* Resistant
 Slip resistance	DIN 51130			Value available upon request
	DIN 51097	If needed		Value available upon request
	B.C.R.A. - D.M.236/ 89			> 0,40 Dry / > 0,40 Wet
	ANSI A326.3 D COF			≥ 0,42 Wet

* It's advisable to refer Project Department for all necessary guidelines to a correct use.

TRIMS FINISHES 3/8"

ROCCE










■ 3/8"

				
		Battiscopa	Gādone con Toro 47 ^{1/4} "x13 ^{3/4} "	EAAAAAAAAAAAAAAAAA 13 ^{3/4} "x6 ^{1/2} "x23 ^{1/2} "
SURFICIE SURFACE		Pcs Box 10	Pcs Box 2	Pcs Box 4
BIANCO	Matte	SI0176	SI01GT2	
	Antislip			SI0195I
AVORIO	Matte	SI0276	SI02GT2	
	Antislip			SI0295I
GRIGIO	Matte	SI0376	SI03GT2	
	Antislip			SI0395I
GREIGE	Matte	SI0476	SI04GT2	
	Antislip			SI0495I
FUMO	Matte	SI0576	SI05GT2	
	Antislip			SI0595I

TRIMS FINISHES OUTDOOR PAVER

ROCCE










■ 3/4" Outdoor Paver

										
		Gādone con Toro Arrotondato 11 ^{7/8} "x23 ^{1/2} "	Gādone Angolare con Toro Arrotondato DX e SX 11 ^{7/8} "x23 ^{1/2} "	Gādone Assemblato 11 ^{7/8} "x23 ^{1/2} "	Gādone Angolare Assemblato DX e SX 11 ^{7/8} "x23 ^{1/2} "	Alzata con Scurelto 8"x23 ^{1/2} "	Griglia 5 ^{1/2} "x23 ^{1/2} "	Canalina 3 ^{1/8} "x5 ^{1/2} "x23 ^{1/2} "	GAAAAAAAAAAAAAAAAA Lucidato in Costa 11 ^{7/8} "x23 ^{1/2} "	Bordo L 6"x6"x23 ^{1/2} "
SURFACE		Pcs Box 2 x1	Pcs Box 2 x1	Pcs Box 2 x3	Pcs Box 2 x3	Pcs Box 2	Pcs Box 2	Pcs Box 2	Pcs Box 2 x1	Pcs Box 1 x2
GRIGIO	Antislip	SI03G6R	DX SI03D6R SX SI03S6R	SI03G6A	DX SI03D6A SX SI03S6A	SI03AL	SI03GG6	SI03CA6	SI03SG6	AIÄÄÄÄÄÄ
	GREIGE	Antislip	SI04G6R	DX SI04D6R SX SI04S6R	SI04G6A	DX SI04D6A SX SI04S6A	SI04AL	SI04GG6	SI04CA6	SI04SG6
FUMO	Antislip	SI05G6R	DX SI05D6R SX SI05S6R	SI05G6A	DX SI05D6A SX SI05S6A	SI05AL	SI05GG6	SI05CA6	SI05SG6	AIÄÄÄÄÄÄ

TRIMS FINISHES OUTDOOR PAVER










ROCCE

■ 3/4" Outdoor Paver

										
		Gādone con Toro Arrotondato 15 ^{3/4} "x31 ^{1/2} "	Gādone Angolare con Toro Arrotondato DX e SX 15 ^{3/4} "x31 ^{1/2} "	Gādone Assemblato 15 ^{3/4} "x31 ^{1/2} "	Gādone Angolare Assemblato DX e SX 15 ^{3/4} "x31 ^{1/2} "	Alzata con Scurelto 8"x31 ^{1/2} "	Griglia 6 ^{1/3} "x31 ^{1/2} "	Canalina 3 ^{1/8} "x6 ^{1/3} "x31 ^{1/2} "	GAAAAAAAAAAAAAAAAA Lucidato in Costa 31 ^{1/2} "x31 ^{1/2} "	Bordo L 6"x6"x31 ^{1/2} "
SURFACE		Pcs Box 1	Pcs Box 1	Pcs Box 2	Pcs Box 2	Pcs Box 2	Pcs Box 2	Pcs Box 2	Pcs Box 1	Pcs Box 2
GRIGIO	Antislip	SI03G8R	DX SI03D8R SX SI03S8R	SI03G8A	DX SI03D8A SX SI03S8A	SI03AL8	SI03GG8	SI03CA8	SI03SG8	AIÄÄÄÄÄÄ
	GREIGE	Antislip	SI04G8R	DX SI04D8R SX SI04S8R	SI04G8A	DX SI04D8A SX SI04S8A	SI04AL8	SI04GG8	SI04CA8	SI04SG8
FUMO	Antislip	SI05G8R	DX SI05D8R SX SI05S8R	SI05G8A	DX SI05D8A SX SI05S8A	SI05AL8	SI05GG8	SI05CA8	SI05SG8	AIÄÄÄÄÄÄ

ROCCE

■ 3/4" Outdoor Paver

										
		Gādone con Toro Arrotondato 11 ^{7/8} "x47 ^{1/4} "	Gādone Angolare con Toro Arrotondato DX e SX 11 ^{7/8} "x47 ^{1/4} "	Gādone Assemblato 11 ^{7/8} "x47 ^{1/4} "	Gādone Angolare Assemblato DX e SX 11 ^{7/8} "x47 ^{1/4} "	Alzata con Scurelto 8"x47 ^{1/4} "	Griglia 5 ^{1/2} "x23 ^{1/2} "	Canalina 3 ^{1/8} "x5 ^{1/2} "x23 ^{1/2} "	GAAAAAAAAAAAAAAAAA Lucidato in Costa 8"x47 ^{1/4} "	Bordo L 8"x8 ^{5/8} "x47 ^{1/4} "
SURFACE		Pcs Box 2	Pcs Box 2	Pcs Box 2	Pcs Box 2	Pcs Box 2	Pcs Box 2	Pcs Box 2	Pcs Box 2	Pcs Box 1
GRIGIO	Antislip	SI03G5R	DX SI03D5R SX SI03S5R	SI03G5A	DX SI03D5A SX SI03S5A	SI03AL2	SI03GG6	SI03CA6	SI03SG2	AIÄÄÄÄÄÄ
	GREIGE	Antislip	SI04G5R	DX SI04D5R SX SI04S5R	SI04G5A	DX SI04D5A SX SI04S5A	SI04AL2	SI04GG6	SI04CA6	SI04SG2
FUMO	Antislip	SI05G5R	DX SI05D5R SX SI05S5R	SI05G5A	DX SI05D5A SX SI05S5A	SI05AL2	SI05GG6	SI05CA6	SI05SG2	AIÄÄÄÄÄÄ



ROCCE

THICKNESS 3/8 - 3/4 mm

THE WORKING SIZES OF THE INDIVIDUAL COMMERCIAL SIZES ARE:

1200x1200 mm = 1195x1195 mm
 600x1200 mm = 596,5x1195 mm
 800x800 mm = 797x797 mm

600x600 mm = 596,5x596,5 mm
 300x600 mm = 297,2x596,5 mm

PACKING				PCS / BOX	M ² / BOX	KG	PCS / PALLET	M ² / PALLET	KG / PALLET
	47 ^{1/4} "x47 ^{1/4} "	Thick 3/8"	Matte	PZ / PCS 01	M ² 1,44 SQ.FT. 15,49	KG 31,05 LBS 68,31	PZ / PCS 36	M ² 51,84 SQ.FT. 557,95	KG 1.137,83 LBS 2.503,22
	23 ^{1/2} "x47 ^{1/4} "	Thick 3/8"	Matte	PZ / PCS 02	M ² 1,44 SQ.FT. 15,49	KG 30,71 LBS 76,36	PZ / PCS 36	M ² 51,84 SQ.FT. 557,95	KG 1.125,70 LBS 2.476,54
	23 ^{1/2} "x47 ^{1/4} "	(Rocce) Thick 3/8"	Outdoor	PZ / PCS 02	M ² 1,44 SQ.FT. 15,49	KG 31,01 LBS 62,02	PZ / PCS 36	M ² 51,84 SQ.FT. 557,95	KG 1.136,54 LBS 2.500,38
	Outdoor20 23 ^{1/2} "x47 ^{1/4} "	(Rocce) Thick 3/4"	Outdoor	PZ / PCS 01	M ² 0,72 SQ.FT. 7,74	KG 32,42 LBS 71,34	PZ / PCS 36	M ² 25,92 SQ.FT. 278,97	KG 1.187,19 LBS 2.611,33
	Listello Mix Superfici 8"x47 ^{1/4} "	(Rocce) Thick 3/8"	Mix Superfici	PZ / PCS 06	M ² 1,44 SQ.FT. 15,49	KG 30,02 LBS 66,04	PZ / PCS 28	M ² 40,32 SQ.FT. 433,96	KG 860,67 LBS 1.893,47
	31 ^{1/2} "x31 ^{1/2} "	Thick 3/8"	Matte	PZ / PCS 02	M ² 1,28 SQ.FT. 13,77	KG 28,54 LBS 62,78	PZ / PCS 40	M ² 51,20 SQ.FT. 551,06	KG 1.161,92 LBS 2.556,22
	Outdoor20 31 ^{1/2} "x31 ^{1/2} "	Thick 3/4"	Outdoor	PZ / PCS 01	M ² 0,64 SQ.FT. 6,88	KG 29,20 LBS 64,24	PZ / PCS 40	M ² 25,60 SQ.FT. 309,97	KG 1.187,88 LBS 2.613,33
	23 ^{1/2} "x23 ^{1/2} "	Thick 3/8"	Matte/ Antislip	PZ / PCS 04	M ² 1,44 SQ.FT. 15,49	KG 29,55 LBS 65,97	PZ / PCS 30	M ² 43,20 SQ.FT. 464,96	KG 906,59 LBS 1.994,50
	11 ^{7/8} "x23 ^{1/2} "	Thick 3/8"	Matte/ Antislip	PZ / PCS 08	M ² 1,44 SQ.FT. 15,49	KG 29,20 LBS 64,24	PZ / PCS 32	M ² 46,08 SQ.FT. 495,95	KG 954,97 LBS 2.100,93
	Listello Mix Superfici 4"x11 ^{7/8} "	(Rocce) Thick 3/8"	Mix Superfici	PZ / PCS 30	M ² 0,90 SQ.FT. 9,68	KG 18,36 LBS 40,39	PZ / PCS 48	M ² 43,20 SQ.FT. 464,96	KG 901,28 LBS 1.982,81
	Listello 3/4"x47 ^{1/4} "	(Rocce) Thick 3/8"	Outdoor	PZ / PCS 06	M ² 1,14 SQ.FT. 12,26	KG 3,00 LBS 6,60	PZ / PCS 165	M ² 23,76 SQ.FT. 255,72	KG 515,00 LBS 1.133,30
	Listello 3/4"x47 ^{1/4} "	Thick 3/8"		PZ / PCS 10	M ² 0,03 SQ.FT. 0,32	KG 1,06 LBS 2,33	PZ / PCS	M ² SQ.FT.	KG LBS
	Decor F 31 ^{1/2} "x31 ^{1/2} "	(Rocce) Thick 3/4"	Outdoor	PZ / PCS 01	M ² 0,64 SQ.FT. 6,88	KG 29,20 LBS 64,24	PZ / PCS 40	M ² 25,60 SQ.FT. 275,63	KG 1.187,88 LBS 2.613,33
	Decor C - Decor F 23 ^{1/2} "x23 ^{1/2} "	(Rocce) Thick 3/8"	Matte	PZ / PCS 04	M ² 1,44 SQ.FT. 15,49	KG 29,44 LBS 64,76	PZ / PCS 30	M ² 43,20 SQ.FT. 464,96	KG 903,44 LBS 1.987,56
	Decor C - Decor F 8"x8"	(Rocce) Thick 3/8"	Matte	PZ / PCS 08	M ² 0,32 SQ.FT. 3,44	KG 6,56 LBS 14,43	PZ / PCS 123	M ² 39,36 SQ.FT. 423,63	KG 828,84 LBS 1.823,44
	Muretto 11 ^{7/8} "x11 ^{7/8} "	(Rocce) Thick 3/8"	Matte	PZ / PCS 12	M ² 1,08 SQ.FT. 11,62	KG 25,92 LBS 57,02	PZ / PCS 30	M ² 32,40 SQ.FT. 348,72	KG 797,60 LBS 1.754,72
	Mosaico 11 ^{7/8} "x11 ^{7/8} "	(Rocce) Thick 3/8"	Matte	PZ / PCS 12	M ² 1,08 SQ.FT. 11,62	KG 20,87 LBS 45,91	PZ / PCS 30	M ² 32,40 SQ.FT. 348,72	KG 646,28 LBS 1.421,81
	Mosaico Chevron 12"x13"	(Rocce) Thick 3/8"	Mix Superfici	PZ / PCS 6	M ² 0,60 SQ.FT. 6,45	KG 10,32 LBS 22,70	PZ / PCS 60	M ² 36,36 SQ.FT. 391,34	KG 639,20 LBS 1.406,24
	AAAAAAAEEAAAAAMix 11 ^{7/8} "x12 ^{1/4} "	(Rocce) Thick 3/8"	Mix Superfici	PZ / PCS 6	M ² 0,55 SQ.FT. 5,91	KG 11,19 LBS 24,61	PZ / PCS 60	M ² 33,47 SQ.FT. 360,23	KG 691,76 LBS 1.521,87

PACKING					PCS / BOX	M ² / BOX	KG
	Galdone con Toro 47 ^{1/4} "x13"x13 ^{3/4} "	Thick 3/8"	Matte		PZ / PCS 02	M ² 0,79 SQ.FT. 8,50	KG 18,40 LBS 40,48
	Battiscopa 2 ^{3/4} "x23 ^{1/2} "	Thick 3/8"	Matte		PZ / PCS 10	M ² 0,42 SQ.FT. 4,52	KG 8,60 LBS 18,92
	EAAAAAAAIAAAAAAA 1 ^{3/4} "x6 ^{1/2} "x23 ^{1/2} "	(Silver Grain) Thick 3/8"	Matte		PZ / PCS 04	M ² 0,39 SQ.FT. 4,19	KG 9,28 LBS 20,41
	Galdone con Toro Arrotondato 16"x31 ^{1/2} "	Thick 3/4"	Outdoor Paver		PZ / PCS 01	M ² 0,32 SQ.FT. 3,44	KG 14,13 LBS 31,08
	Galdone Angolare con Toro Arrotondato DX e SX 16"x31 ^{1/2} "	Thick 3/4"	Outdoor Paver		PZ / PCS 01	M ² 0,32 SQ.FT. 3,44	KG 14,13 LBS 31,08
	Galdone Assemblato 15 ^{3/4} "x31 ^{1/2} "	Thick 3/4"	Outdoor Paver		PZ / PCS 02	M ² 0,64 SQ.FT. 6,88	KG 28,26 LBS 62,17
	Galdone Angolare Assemblato DX e SX 15 ^{3/4} "x31 ^{1/2} "	Thick 3/4"	Outdoor Paver		PZ / PCS 02	M ² 0,64 SQ.FT. 6,88	KG 28,26 LBS 62,17
	Alzata con Scretto 8"x31 ^{1/2} "	Thick 3/4"	Outdoor Paver		PZ / PCS 02	M ² 0,32 SQ.FT. 3,44	KG 14,12 LBS 31,06
	Griglia 6 ^{1/2} "x31 ^{1/2} "	Thick 3/4"	Outdoor Paver		PZ / PCS 02	M ² 0,25 SQ.FT. 2,69	KG 11,20 LBS 24,64
	Canalina 3 ^{1/8} "x6 ^{1/2} "x31 ^{1/2} "	Thick 3/4"	Outdoor Paver		PZ / PCS 02	M ² 0,25 SQ.FT. 2,69	KG 11,12 LBS 24,46
	GAAAAAAAIAAAAAAA in Costa 31 ^{1/2} "x31 ^{1/2} "	Thick 3/4"	Outdoor Paver		PZ / PCS 01	M ² 0,64 SQ.FT. 6,88	KG 28,27 LBS 62,19
	Bordo L 6"x6"x31 ^{1/2} "	Thick 3/4"	Outdoor Paver		PZ / PCS 02	M ² 0,24 SQ.FT. 2,58	KG 10,66 LBS 23,45
	Galdone con Toro Arrotondato 11 ^{7/8} "x47 ^{1/4} "	(Silver Grain) Thick 3/4"	Outdoor Paver		PZ / PCS 02	M ² 0,72 SQ.FT. 7,74	KG 32,24 LBS 70,92
	Galdone Angolare con Toro Arrotondato DX e SX 11 ^{7/8} "x47 ^{1/4} "	(Silver Grain) Thick 3/4"	Outdoor Paver		PZ / PCS 02	M ² 0,72 SQ.FT. 7,74	KG 32,24 LBS 70,92
	Galdone Assemblato 11 ^{7/8} "x47 ^{1/4} "	Thick 3/4"	Outdoor Paver		PZ / PCS 02	M ² 0,72 SQ.FT. 7,74	KG 32,24 LBS 70,92
	Galdone Angolare Assemblato DX e SX 11 ^{7/8} "x47 ^{1/4} "	(Silver Grain) Thick 3/4"	Outdoor Paver		PZ / PCS 02	M ² 0,72 SQ.FT. 7,74	KG 32,24 LBS 70,92
	Alzata con Scretto 8"x47 ^{1/4} "	(Silver Grain) Thick 3/4"	Outdoor Paver		PZ / PCS 02	M ² 0,48 SQ.FT. 5,16	KG 21,40 LBS 47,08
	GAAAAAAAIAAAAAAA in Costa 8"x47 ^{1/4} "	(Silver Grain) Thick 3/4"	Outdoor Paver		PZ / PCS 02	M ² 0,48 SQ.FT. 5,16	KG 21,40 LBS 47,08
	Bordo L 8"x8"x47 ^{1/4} "	(Silver Grain) Thick 3/4"	Outdoor Paver		PZ / PCS 01	M ² 0,24 SQ.FT. 2,58	KG 10,70 LBS 23,54
	Galdone con Toro Arrotondato 11 ^{7/8} "x23 ^{1/2} "	(Silver Grain) Thick 3/4"	Outdoor Paver		PZ / PCS 01	M ² 0,18 SQ.FT. 1,93	KG 7,95 LBS 17,49
	Galdone Angolare con Toro Arrotondato DX e SX 11 ^{7/8} "x23 ^{1/2} "	(Silver Grain) Thick 3/4"	Outdoor Paver		PZ / PCS 01	M ² 0,18 SQ.FT. 1,93	KG 7,95 LBS 17,49
	Galdone Assemblato 11 ^{7/8} "x23 ^{1/2} "	(Silver Grain) Thick 3/4"	Outdoor Paver		PZ / PCS 03	M ² 0,54 SQ.FT. 5,81	KG 23,85 LBS 52,47
	Galdone Angolare Assemblato DX e SX 11 ^{7/8} "x23 ^{1/2} "	(Silver Grain) Thick 3/4"	Outdoor Paver		PZ / PCS 03	M ² 0,54 SQ.FT. 5,81	KG 23,85 LBS 52,47
	Alzata con Scretto 8"x23 ^{1/2} "	(Silver Grain) Thick 3/4"	Outdoor Paver		PZ / PCS 02	M ² 0,24 SQ.FT. 2,58	KG 10,60 LBS 23,32
	Griglia 5 ^{1/2} "x23 ^{1/2} "	(Silver Grain) Thick 3/4"	Outdoor Paver		PZ / PCS 02	M ² 0,16 SQ.FT. 1,72	KG 8,00 LBS 17,60
	Canalina 3 ^{1/8} "x5 ^{1/2} "x23 ^{1/2} "	(Silver Grain) Thick 3/4"	Outdoor Paver		PZ / PCS 02	M ² 0,16 SQ.FT. 1,72	KG 8,00 LBS 17,60
	GAAAAAAAIAAAAAAA in Costa 11 ^{7/8} "x23 ^{1/2} "	(Silver Grain) Thick 3/4"	Outdoor Paver		PZ / PCS 01	M ² 0,18 SQ.FT. 1,93	KG 7,95 LBS 17,49
	Bordo L 6"x6"x23 ^{1/2} "	(Silver Grain) Thick 3/4"	Outdoor Paver		PZ / PCS 02	M ² 0,18 SQ.FT. 1,93	KG 8,00 LBS 17,60



OPUSTONE.COM

FORT LAUDERDALE | MIAMI | WEST PALM BEACH